

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5950	configur\$ with (multi or multiple or many or several) near processor with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 11:58
S2	5832	configur\$ with (multi or multiple) near processor with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 11:58
S3	347	configur\$ with (multi or multiple or many or several) near processor with system same node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 11:59
S4	22	configur\$ with (multi or multiple or many or several) near processor with system same node and channel with bandwidth and (direction or directional or one near way)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 12:03
S5	0	(communicate or communicating) with (plurality or multiple) near node same channel with bandwidth and (direction or directional or one near way) and transmit near buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 12:25
S6	0	communicating with (plurality or multiple) near node same channel with bandwidth and (direction or directional or one near way) and transmit near buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 12:27

S7	2	(plurality or multiple) near node same channel with bandwidth and (direction or directional or one near way) and transmit near buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 12:27
S8	0	(plurality or multiple) with node same channel with bandwidth and (direction or directional or one near way) and transmit near buffer and destination near network near interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 12:34
S9	0	transmit near buffer and destination near network near interface and source near network near interface and node and processing near (node or element) and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 12:35
S10	0	transmit near buffer and destination near network near interface and source near network near interface and node and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 12:36
S11	1	transmit near buffer and destination near network near interface and source near network near interface and node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 12:36
S12	984	"709".clas. and configur\$ with (multi or multiple or many or several) near processor with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:47
S13	32	"709".clas. and configur\$ with (multi or multiple or many or several) near processor with system and processing near nodes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:48
S14	21	"709".clas. and configur\$ with (multi or multiple or many or several) near processor with system and processing near nodes and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:48

S15	0	"709/200".ccls. and configur\$ with (multi or multiple or many or several) near processor with system and processing near nodes and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:48
S16	0	"709/200".ccls. and configur\$ with (multi or multiple or many or several) near processor with system and processing near nodes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:49
S17	23	"709/200".ccls. and configur\$ with (multi or multiple or many or several) near processor with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:49
S18	29	"709/218".ccls. and configur\$ with (multi or multiple or many or several) near processor with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:49
S19	6	370/468.ccls. and configur\$ with (multi or multiple or many or several) near processor with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:49
S20	0	398/89.ccls. and configur\$ with (multi or multiple or many or several) near processor with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:50
S21	0	398/89.ccls. and configur\$ with (multi or multiple or many or several) near processor and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:50
S22	1	398/89.ccls. and (multi or multiple or many or several) near processor and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:50

S23	2	398/140.ccls. and (multi or multiple or many or several) near processor and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 08:51
S24	2	("7254142").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 05:48
S25	2	("5828835").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 05:54
S26	2	("5943150").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/01 06:20
S27	2	("5794062").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/06 12:09
S28	2	("6115580").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/06 12:09
S29	2	("7254142").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/06 12:38
S30	4	("7209916").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/06 13:04

S31	2	("20020032688").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/06 13:04
S32	2	("5828835").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/06 13:50
S33	2	("6373842").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/06 15:21
S34	2	("20090177781").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/10 11:38
S35	2	("6393026").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 10:12
S36	2	("4905143").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 10:14
S37	2	("6671712").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 10:18
S38	1	rout\$3 same uni adj1 directional same channel same array same node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 10:24

S39	1	rou\$3 same uni adj1 directional same channel same array same node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/14 10:25
S40	0	rou\$3 same uni adj1 directional near channel same array same process \$3 same node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/14 10:26
S41	0	rou\$3 and uni adj1 directional near channel same array same node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/14 10:26
S42	2	rou\$3 and uni adj1 directional same channel same array same node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/14 10:27
S43	97	determine and rou\$3 and (unidirectional uni adj directional) and channel and array near node and transmi\$6 and buffer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/14 10:34
S44	96	determine and rou\$3 and (unidirectional uni adj directional) and channel and array near node and transmi\$6 and buffer and processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/14 10:34
S45	8	determine and rou\$3 and (unidirectional uni adj directional) and channel and array near process\$3 near node and transmi\$6 and buffer and processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/14 10:39
S46	0	"10815453"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 10:45

S47	0	"10815453"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/14 10:45
S48	62	Gonzalez adj Ricardo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/14 10:46
S49	806	Gonzalez and configur\$3 and Multi and processor and array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/14 10:47
S50	15	Gonzalez adj Ricardo and configur\$3 and Multi and processor and array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/14 10:48
S51	5998	(unidirectional uni adj directional) and configur \$3 and Multi and processor and array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/14 10:49
S52	76	Gonzalez and (unidirectional uni adj directional) and configur \$3 and Multi and processor and array	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/14 10:49
S53	23	Gonzalez and (unidirectional uni adj directional) and configur \$3 and Multi and processor and array and node and channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/14 10:50
S54	2	("5828835").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 10:55

S55	2	("7254142").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 10:55
S56	2	("20050132357").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/14 10:56
S57	8	rou\$3 and (unidirectional uni adj directional) and channel and array near process \$3 near node and transmi \$6 and buffer and processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/14 12:29
S58	2	("20050060377").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/23 10:28
S59	2	("20050193133").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/23 10:30
S60	2	("20050060377").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/27 08:02
S61	15	370/351.ccls. and configur\$ with (multi or multiple or many or several) near processor with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/31 10:54

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp

S62	10	370/351.ccls. and configur\$ with (multi or multiple or many or several) near processor with system	USPAT; UPAD	OR	ON	2011/03/31 10:55
-----	----	--	-------------	----	----	------------------

4/ 6/ 2011 7:22:39 AM

**C:\ Documents and Settings\ mmcleod\ My Documents\ EAST\ Workspaces
\ Application_10815453.wsp**